



**Step a):** Campiani, G.; Butini, S.; Gemma, S.; Nacci, V.; Fattorusso, C.; Catalanotti, B.; Giorgi, G.; Cagnotto, A.; Goegan, M.; Mennini, T.; Minetti, P.; Di Cesare, M. A.; Mastrianni, D.; Scafetta, N.; Galletti, B.; Stasi, M. A.; Castorina, M.; Pacifici, L.; Ghirardi, O.; Tinti, O.; Carminati, P. Pyrrolo[1,3]benzothiazepine-Based Atypical Antipsychotic Agents. Synthesis, Structure–Activity Relationship, Molecular Modeling, and Biological Studies. *J. Med. Chem.* **2002**, *45*, 344–359. **Step b):** Tomohide Okada, T.; Matsumuro, H.; Kitagawa, S.; Iwai, T.; Yamazaki, K.; Kinoshita, Y.; Kimura, Y.; Kirihara, M. Selective Synthesis of Sulfoxides through Oxidation of Sulfides with Sodium Hypochlorite Pentahydrate Crystals. *Synlett* **2015**, *26*, 2547–2552. **Step c):** (a) Stoss, P.; Satzinger, G. Cyclische Sulfoximide, II. 3,4-Dihydro-1,2-benzothiazinon-(3)-1-oxide und 4,5-Dihydro-3H-1,2,4-benzothiadiazepinon-(3)-1-oxide. *Chem. Ber.* **1972**, *105*, 2575–2583; (b) Stoss, P.; Satzinger, G. Cyclische Sulfoximide, VI. 3-Imino-3H-1λ4,2-benzisothiazol-1-oxide. *Chem. Ber.* **1975**, *108*, 3855–3863; (c) Beck, J. R.; Yahner, J. A. Nitro displacement by methanethiol anion. Synthesis of bis-, tris-, tetrakis-, and pentakis(methylthio)benzoic acids and related derivatives. *J. Org. Chem.* **1978**, *43*, 2052–2055; (d) Serebryakov, E. A.; Zlotin, S. G. Nitro derivatives of cyclic sulfoximides of the 1,2-benzoisothiazole series. *Russ. Chem. Bull.* **2002**, *51*, 1549–1555. **Step d):** Kerins, F.; O’Shea, D. F. Generation of Substituted Styrenes via Suzuki Cross-Coupling of Aryl Halides with 2,4,6-Trivinylcyclotriboroxane. *J. Org. Chem.* **2002**, *67*, 4968–4971. **Step e):** For an enantioselective approach: Palucki, M.; Pospisil, P. J.; Zhang, W.; Jacobsen, E. N. Highly Enantioselective, Low-Temperature Epoxidation of Styrene. *J. Am. Chem. Soc.* **1994**, *116*, 9333–9334. **Step f):** Wells, J. N.; Shirodkar, A. V.; Knevel, A. M. Aziridine Derivatives as Potential Monoamine Oxidase Inhibitors. *J. Med. Chem.* **1966**, *9*, 195–197. **Step g):** Other Lactamization/(Lactonization) procedures could be helpful as well. **Step h):** Chiral resolution leads to the desired products **DAV-AUT-7eb-2** and **DAV-AUT-7eb-4**, respectively.